

LIST OF PRODUCTION EQUIPMENT

AUDIO				
No.	Manufacturer	Model	Technical Specifications	Qty
Speakers - Line Array Medium Format				
1	L'Acoustics	Kara	High Power Line Array Module (2 x 8" LF + 1 x 3" HF)	18
2	L'Acoustics	SB18	High Power Compact Subwoofer (1 x 18")	12
3	Martin Audio	W8LM	Medium Format Line Array Module (2 x 8" LF + 2 x 1" HF)	24
4	Martin Audio	WS18X	High Power Subwoofer (1 x 18")	8
Speakers - Point Source / Monitors				
1	L'Acoustics	12XT	Bi Amped Compact speaker (Coaxial 1 x 12" LF + 1 x 3" HF)	12
2	L'Acoustics	5XT	Passive Compact Speaker (Coaxial 1 x 5" LF + 1 x 1" HF)	8
3	DAS	Vantec 12A	Powered/wireless Streaming Compact Speaker	8
4	DAS	Vantec 18A	Powered/wireless Streaming Subwoofer	4
Amplifiers - D Class				
1	L' Acoustics	LA8 Amplifier	4 Channel D Class Amplifier (4 x 1400W into 8 Ohms) with Processing	6
2	L' Acoustics	LA-RAK	3 x LA8 Amplifiers in one rack	2
3	Martin Audio	MA 5.2K	2 Channel D Class Amplifier	4
Speaker Accessories				
1	L'Acoustics	Mbump	Kara Line Array Flying Bar	2
2	L'Acoustics	Mbar	Kara Line Array Extension Bar	2
3	L'Acoustics	MiniBeux	Kara Line Array Ground stacking Jacks	2
4	Martin Audio	LMBump	Martin Audio Fly Frame for W8LM	4
5	Manfrotto	Starline Stand	Winch Up Speaker Stand	12
Audio Consoles				
1	Midas	M32	40 input Ch., 32 Mic. Preamplifiers, 25 Mix Buses, Digital Audio Console	1
2	Midas	Pro X	128 Channel, 48 Aux, 48 Matrix Digital Audio Console	1
3	Midas	Pro 6	52 Channel, 16 Aux, 16 Matrix Digital Audio Console	1
4	Midas	Pro 2	48 Channel, 16 Aux, 8 Matrix Digital Audio Console	1
5	Midas	Pro 1	24 Channel, 16 Aux, 8 Matrix Digital Audio Console	1
6	Midas	DL 351	Modular I/O Box for Midas Digital Consoles	1
7	Midas	DL 251	Fixed 48 Input & 16 Output Box for Midas Digital Consoles	2
8	Midas	DL431	24 Channel Microphone Splitter for Midas Digital Consoles	2
9	Klark Teknik	DN9650	Network Bridge	1
Wireless Microphones				
1	Shure	Shure QLXD4	Wireless Microphone Receiver	12
2	Shure	Sure QLXD2 Beta 87	Wireless Microphone Handheld Transmitter	8
3	Shure	Sure QLXD1	Wireless Microphone Beltpack Transmitter	6
4	Shure	UR2 - Beta 87 A	Wireless Microphone Handheld Transmitter	2
5	Shure	UR4D	Wireless Microphone Receiver	1
6	Shure	UA870	Wireless Microphone Directional Active Antenna	4
7	Shure	UA845SWB-E	Active Antenna Distribution System	2
8	Shure	UA845SWB-E	Antenna Cable	6
Input Devices				
1	Shure	Microphones	SM, Beta, KSM	Lot
2	Sennheiser	Microphones	600, 800, 900, MK, MD Series	Lot
3	DPA	Miniature	All Kits Available	Lot
4	K&M	Microphone Stands	Various Sizes and Mounts	Lot
COMMS & Communication				
1	Clearcom	Tempest CM-244	4 Channel Bas Station	1
2	Clearcom	Tempest CP-242	4 Channel Wireless Belt Pack	10
3	Clearcom	Tempest CCT-RT	Extension Antenna	2
4	Clearcom	RS-703	Party Line 2 Channel System	8
5	Clearcom	PS-704	4 channel PSU for Analogue Partyline System	1
6	Clearcom	CC-300	Single Muff Headset	18

LIGHTING				
No.	Manufacturer	Model	Technical Specifications	Qty
Intelligent Fixtures				
1	Martin	Mac 2K Performance	1200W Moving Head Spot Light.	24
2	Elation	Platinum Beam 5R	189w Moving Head Beam Light	20
3	Prolights	Diamond 19	LED Wash Light	20
Colour Changers				
1	LED	PARcan	18 x 8W SMD (RGBW) LED Parcan - DMX Controller 3 pin Input	48
Conventional - Profiles				
1	ETC	Source 4 19 Degree	750w Fixed Angle Profile Light (Optional Accessories Gobo Holder, Iris)	30
2	ETC	Source 4 26 Degree	750w Fixed Angle Profile Light (Optional Accessories Gobo Holder, Iris)	30
3	ETC	Source 4 36 Degree	750w Fixed Angle Profile Light (Optional Accessories Gobo Holder, Iris)	30
4	ETC	Source 4 50 Degree	750w Fixed Angle Profile Light (Optional Accessories Gobo Holder, Iris)	30
5	ETC	Source 4 70 Degree	750w Fixed Angle Profile Light (Optional Accessories Gobo Holder, Iris)	8
6	ETC	Source 4 90 Degree	750w Fixed Angle Profile Light (Optional Accessories Gobo Holder, Iris)	8
Conventional - Fresnel				
1	Selecon	Arena	2000w 7 - 60 Degree Fresnel Light (Opt Accessories Barn Doors)	16
Conventional - Parcans				
1	ETC	Source 4 Par	750w Interchangeable Lenses Parcan (Opt Accessories Barn Doors, Top H	110
2	Procan	Molfae 4 Lamp	4 Lamp Molfae	12
Dimming				
1	Avolites	ART 2000 T4	48 x 16 Amp Channel Dimmer Rack with Patch Bay (Socapex)	2
2	Strand	6 Pack	6 x 10 amp Channel Dimmer Pack with 16Amp outputs	2
Lighting Control				
1	MA Lighting	Grand MA 2 ultraLite	Digital Lighting Console (6 Universe Expandable)	1
2	Avolites	Pearl 2010	Digital Lighting Consoles (4 Universe)	2
3	Avolites	DMX Truss Splitter	Truss Mountable DMX Splitter (1 in 6 Out)	8
Signal Cable				
1	TMB	Proplex 3m	Proplex 5 Pin MXLR to 5 Pin FXLR 3m	100
2	TMB	Proplex 5m	Proplex 5 Pin MXLR to 5 Pin FXLR 5m	100
3	TMB	Proplex 10m	Proplex 5 Pin MXLR to 5 Pin FXLR 10m	100
4	TMB	Proplex 20m	Proplex 5 Pin MXLR to 5 Pin FXLR 20m	50
5	TMB	Dataplex Multi	8 Universe DMX Snake 100m	2
Multi Core Power Cable				
1	TMB	ProCable	ProCable (18x 2.5mm) Socapex M to Socapex F 10m	30
2	TMB	ProCable	ProCable (18x 2.5mm) Socapex M to Socapex F 20m	35
3	TMB	ProCable	ProCable (18x 2.5mm) Socapex M to Socapex F 30m	35
4	TMB	ProCable	Male Socapex Break-out to Ce-form 16 Amp Socket	35
5	TMB	ProCable	Female Socapex Break-in to Ce-form 16 Amp Plug	4

VIDEO				
No.	Manufacturer	Model	Technical Specifications	Qty
LED Screen				
1	Extreme Productions	2.5mm Pitch	LED Screen Module Die-Cast Aluminum Frame - Pitch 2.5 mm, SMD Black Face, (0.5m x 0.5m - 200 x 200 Pixels)	400
2	Absen D2V2	2.89mm Pitch	LED Screen Module Die-Cast Aluminum Frame - Pitch 2.9 mm, SMD Black Face, (0.5m x 0.5m - 164 x 164 Pixels)	800
3	Esdlumen	2.89mm Pitch - Dazzle III	LED Screen Module Die-Cast Aluminum Frame - Pitch 2.9 mm, SMD Black Face, (0.50m x 0.50m - 164 x 164 Pixels) indoor CURVED	400
4	Acronn Mini	3.75mm Pitch	LED Screen Module Die-Cast Aluminum Frame - Pitch 3.75 mm, SMD Black Face, (0.48m x 0.48m - 128 x 128 Pixels)	650
5	Absen D4	4.8mm Pitch - Outdoor	LED Screen Module Die-Cast Aluminum Frame - Pitch 4.8 mm, SMD Black Face, (0.5m x 0.5m - 104 x 104 Pixels)	400
Projectors				
1	Panasonic	PT-DZ21V2	Three chip DLP- 20,000 Lumen (WUXGA) Projector	4
2	Barco	CLM-HD8	Single Chip DLP - 8000 Lumen (WUXGA) Projector	4
3	Barco	CLM HD8 1.5-2.2:1	CLM-H8 Lens	4
4	Barco	CLM HD8 1.2-1.55:1	CLM-H8 Lens	6
5	Barco	CLM HD8 2.2-4.4:1	CLM-H8 Lens	6
Control Systems				
1	Analogue Way	Ascender	Multi Layer High Resolution Seamless Switcher / Scaler - 4K Sep 2017	2
2	Analogue Way	Vertege Controller	Controller Switcher Scaler	1
3	Lightware	16x16DVI	16 x 16 Matrix Switcher	1
4	Lightware	8x8 HDMI	8 x 8 Matrix Switcher	1
5	RGB Link	Venus X3	Multi Layer High Resolution Seamless Switcher / Scaler	1
Media Servers				
1	Green Hippo	Hippotizer HD	16 Layer Full HD Media Server - Dual 1920 x 1080 Output - SDI, 2 x DVI in	2
2	Green Hippo	V4 Boreal	Media Server - Quad DP1.2 - SDI, 2 x DVI input	4
Data Cables				
1	Gefen	Dvi Extenders	DVI over Fibre Cables - Various Lengths	10

RIGGING AND HARDWARE				
No.	Manufacturer	Model	Technical Specifications	Qty
Truss Tower				
1	Prolyte	C52T 3m	Truss System 6mm (0.52m x 0.52m) for Ground Support Truss Tower	22
2	Prolyte	C52T 2 m	Truss System 6mm (0.52m x 0.52m) for Ground Support Truss Tower	2
3	Prolyte	C52T 2.5m	Truss System 6mm (0.52m x 0.52m) for Ground Support Truss Tower	4
4	Prolyte	C52T 1m	Truss System 6mm (0.52m x 0.52m) for Ground Support Truss Tower	4
5	Prolyte	C52T Head Block	Head block (0.52m x 0.52m) for Ground Support Truss Tower	4
6	Prolyte	CT Tower Base	Steel Base for 6mm (0.52m x 0.52m) for Ground Support Truss Tower	4
7	Prolyte	CT Tower Sleeve	Sleeve Block for 6mm (0.52m x 0.52m) for Ground Support Truss Tower	4
8	Prolyte	CT Tower Help	Tower erection system for C52T Tower	1
Truss Large Format				
1	Prolyte	B100R 3m	3m Heavy Duty 6mm 1.0m x 0.52m Box Truss Section	26
Truss Medium Format				
1	Prolyte	H40V -4m	4m Heavy Duty 0.40m x 0.40m Box Truss Section	30
2	Prolyte	H40V -3m	3m Heavy Duty 0.40m x 0.40m Box Truss Section	30
3	Prolyte	H40V -2m	2m Heavy Duty 0.40m x 0.40m Box Truss Section	30
4	Prolyte	H40V -1m	1m Heavy Duty 0.40m x 0.40m Box Truss Section	30
5	Prolyte	H40V -0.5	0.5m Heavy Duty 0.40m x 0.40m Box Truss Section	10
6	Prolyte	Misc	Adapters, Corners, T's all available for Prolyte H40V	LOT
Chain Hoists & Motors				
1	CM Lodestar	1 TON LV	Low voltage Controlled Electric Chain Hoist with a 24m Lift Height	24
2	CM Lodestar	0.5 TON LV	Low voltage Controlled Electric Chain Hoist with a 24m Lift Height	24
Motor Control				
1	Skjonberg	CS-800EC	Low voltage 8 Way Hoist Controller with Detachable Remote Control	3

POWER				
No.	Manufacturer	Model	Technical Specifications	Qty
Electrical Distributers				
1	SES	ST200 - Power Lock	Power Lock Input with Line Drain - 9 Socapex Outputs individually Isolated, 3 x 32 Amp 3 Phase, 6 x 16 Amp Single Phase	2
2	SES	ST50 - 63 Amp	63 Amp 3 Phase input - 3 x Socapex Individually Isolated + 1 x 32 Amp 3 Phase Output	2
3	SES	ST25 - 32 Amp	32 Amp 3 Phase Input to Line Drain - 6 x 16 Amp Sockets	2
Electrical 3 Phase Cable				
1	TMB	ProCable PowerLock	150mm Power Lock male to Power Lock Female 25m (5 Wire Set)	2
2	TMB	ProCable PowerLock	150mm Power Lock male to Power Lock Female 5m (5 Wire Set)	2
3	TMB	ProCable PowerLock	150mm Lugs to Power Lock Female 5m (5 Wire Set)	2
4	TMB	ProCable PowerLock	125 Amp 3 Phase Connector to 5 Set Power Lock Female 5m (150mm)	2
5	TMB	ProCable 63A	63 Amp 3 Phase Male to 63 Amp 3 Phase Female 25m (5 x 16mm)	10
6	TMB	ProCable 63A	64 Amp 3 Phase Male to 63 Amp 3 Phase Female 25m (5 x 16mm)	2
7	TMB	ProCable 32A	32 Amp 3 Phase Male to 32 Amp 3 Phase Female 25m (5 x 10mm)	2
8	TMB	ProCable 32A	33 Amp 3 Phase Male to 32 Amp 3 Phase Female 25m (5 x 10mm)	2
Electrical Single Phase Cable				
1	TMB	ProCable 16	C-form 16 Amp Single Phase Male to - Female 16 Amp Single Phase -3m	100
2	TMB	ProCable 16	C-form 16 Amp Single Phase Male to - Female 16 Amp Single Phase -5m	100
3	TMB	ProCable 16	C-form 16 Amp Single Phase Male to - Female 16 Amp Single Phase -10m	100
4	TMB	ProCable 16	C-form 16 Amp Single Phase Male to - Female 16 Amp Single Phase -20m	100
5	TMB	ProCable 16 Y	C-form 16 Single Phase Male to 2 x Female 16 Amp Single Phase - 1m	100
6	TMB	ProCable 16 W	C-form 16 Single Phase Male to 2 x Female 16 Amp Single Phase - 1m	100